



Creating transformative gene-based medicines for serious diseases

Corporate Overview | November 2019

Forward-Looking Statements



The presentation and other related materials may contain a number of “forward-looking statements” within the meaning of the Private Securities Litigation Reform Act of 1995, as amended, including statements regarding CRISPR Therapeutics’ expectations about any or all of the following: (i) the safety, efficacy and clinical progress of our various clinical programs including CTX001 and CTX110; (ii) the status of clinical trials (including, without limitation, the timing of filing of clinical trial applications and INDs, any approvals thereof and the timing of commencement of and availability of data from clinical trials), development timelines and discussions with regulatory authorities related to product candidates under development by CRISPR Therapeutics and its collaborators; (iii) the number of patients that will be evaluated, the anticipated date by which enrollment will be completed and the data that will be generated by ongoing and planned clinical trials, and the ability to use that data for the design and initiation of further clinical trials; (iv) the intellectual property coverage and positions of CRISPR Therapeutics, its licensors and third parties as well as the status and potential outcome of proceedings involving any such intellectual property; (v) the sufficiency of CRISPR Therapeutics’ cash resources; and (vi) the therapeutic value, development, and commercial potential of CRISPR/Cas9 gene editing technologies and therapies. Without limiting the foregoing, the words “believes,” “anticipates,” “plans,” “expects” and similar expressions are intended to identify forward-looking statements. You are cautioned that forward-looking statements are inherently uncertain. Although CRISPR Therapeutics believes that such statements are based on reasonable assumptions within the bounds of its knowledge of its business and operations, forward-looking statements are neither promises nor guarantees and they are necessarily subject to a high degree of uncertainty and risk. Actual performance and results may differ materially from those projected or suggested in the forward-looking statements due to various risks and uncertainties. These risks and uncertainties include, among others: the potential for initial and preliminary data from any clinical trial (including CTX001 and CTX110) not to be indicative of final trial results; the risk that the initial data from a limited number of patients (as is the case with CTX001 at this time) may not be indicative of results from the full planned study population; the outcomes for each of CRISPR Therapeutics’ planned clinical trials and studies may not be favorable; that one or more of CRISPR Therapeutics’ internal or external product candidate programs will not proceed as planned for technical, scientific or commercial reasons; that future competitive or other market factors may adversely affect the commercial potential for CRISPR Therapeutics’ product candidates; uncertainties inherent in the initiation and completion of preclinical studies for CRISPR Therapeutics’ product candidates; availability and timing of results from preclinical studies; whether results from a preclinical trial will be predictive of future results of the future trials; uncertainties about regulatory approvals to conduct trials or to market products; uncertainties regarding the intellectual property protection for CRISPR Therapeutics’ technology and intellectual property belonging to third parties, and the outcome of proceedings (such as an interference, an opposition or a similar proceeding) involving all or any portion of such intellectual property; and those risks and uncertainties described under the heading “Risk Factors” in CRISPR Therapeutics’ most recent annual report on Form 10-K, and in any other subsequent filings made by CRISPR Therapeutics with the U.S. Securities and Exchange Commission, which are available on the SEC’s website at www.sec.gov. Existing and prospective investors are cautioned not to place undue reliance on these forward-looking statements, which speak only as of the date they are made. CRISPR Therapeutics disclaims any obligation or undertaking to update or revise any forward-looking statements contained in this presentation, other than to the extent required by law.

CRISPR Therapeutics Highlights



Leading gene editing company focused on translating revolutionary CRISPR/Cas9 technology into transformative therapies



Advancing CRISPR in the clinic with CTX001® in β -thalassemia and sickle cell disease



Next-generation immuno-oncology platform underlying wholly-owned, potentially best-in-class gene-edited allogeneic cell therapies CTX110™, CTX120™ and CTX130™



Enabling regenerative medicine 2.0 with CRISPR/Cas9-edited allogeneic stem cells



Advancing *in vivo* applications based on in-licensed technologies, platform improvement and strategic partnerships

Our Pipeline



PROGRAM	RESEARCH	IND-ENABLING	CLINICAL	MARKETED	STATUS	PARTNER	STRUCTURE
Hemoglobinopathies							
CTX001®: β-thalassemia					Enrolling	VERTEX	Collaboration
CTX001®: Sickle cell disease (SCD)					Enrolling		Collaboration
Immuno-oncology							
CTX110™: Anti-CD19 allogeneic CAR-T					Enrolling		Wholly-owned
CTX120™: Anti-BCMA allogeneic CAR-T							Wholly-owned
CTX130™: Anti-CD70 allogeneic CAR-T							Wholly-owned
Regenerative medicine							
Type I diabetes mellitus						VIACYTE Regenerating Health	Collaboration
In vivo approaches							
Glycogen storage disease Ia (GSD Ia)							Wholly-owned
Duchenne muscular dystrophy (DMD)							License
Myotonic dystrophy type 1 (DM1)						VERTEX	Collaboration
Cystic fibrosis (CF)							License

Hemoglobinopathies – sickle cell disease (SCD) and β -thalassemia (β -thal)

Blood disorders caused by
mutations in the β -globin gene



Significant worldwide burden

300,000 Annual births in
SCD and β -thal,
respectively
60,000

High morbidity and mortality



Anemia



Pain




Early death

Heavy burden of patient care



Frequent
**transfusions &
hospitalizations**



1. Powars, *et al.* Blood 1984; 2. Musallam, *et al.* Blood 2012

CLIMB 111 and CLIMB 121: Phase 1/2 studies in patients with β -thal and SCD, respectively



Design

Phase 1 / 2, international, multi-center, open-label, single arm study

Phase 1 / 2, international, multi-center, open-label, single arm study

Target enrollment

45 patients between 18 – 35 years of age with transfusion dependent thalassemia (TDT), including β^0/β^0 genotypes

45 patients between 18 – 35 years of age with severe SCD and a history of ≥ 2 vaso-occlusive crises/yr over the previous two years

Primary endpoint

Proportion of patients achieving sustained transfusion reduction for at least 6 months starting 3 months after CTX001 infusion

Proportion of patients with HbF $\geq 20\%$, sustained for at least 3 months starting 6 months after CTX001 infusion

CLIMB THAL-111: Patient baseline and treatment characteristics

Patient baseline

Genotype	β^0 /IVS-I-110
Gender	F
Age at consent, years	19
Pre-study pRBC transfusions <i>Episodes/year</i> ²	16.5

Treatment characteristics


- Successful engraftment¹
 - Neutrophil engraftment at study day 33
 - Platelet engraftment at study day 37
- Initial safety profile consistent with myeloablative busulfan conditioning and autologous HSCT
- 2 SAEs occurred, neither considered related to CTX001 by study investigator, both resolved:
 - Veno-occlusive liver disease attributed to busulfan conditioning
 - Pneumonia in the presence of neutropenia

¹ Neutrophil engraftment defined as absolute neutrophil count ≥ 500 cells/ μ L for three consecutive days, and platelet engraftment defined as unsupported platelet count $\geq 20,000$ / μ L

² Annualized rate during the two years prior to consenting for the study

First TDT patient treated is transfusion free with sustained HbF > 10 g/dL

Hemoglobin fractionation over time pre and post CTX001 infusion,
Hemoglobin (g/dL)




¹ Hb Undefined: Hb adducts and other variants.

HbF is highly pancellular in peripheral RBCs

Peripheral RBC F-cells

% F-cells (circulating RBCs expressing fetal hemoglobin)



CLIMB SCD-121: Patient baseline and treatment characteristics

Patient baseline

Genotype	β^S/β^S
Gender	F
Age at consent, years	33
Pre-study VOCs, VOCs / year ²	7

Treatment characteristics


- Successful engraftment¹
 - Neutrophil engraftment at study day 30
 - Platelet engraftment at study day 30
- Initial safety profile consistent with myeloablative busulfan conditioning and autologous HSCT
- 3 SAEs occurred, none considered related to CTX001 by study investigator, all resolved:
 - Sepsis in the presence of neutropenia
 - Cholelithiasis
 - Abdominal pain

¹ Neutrophil engraftment defined as absolute neutrophil count ≥ 500 cells/ μ L for three consecutive days, and platelet engraftment defined as unsupported platelet count $\geq 50,000$ / μ L

² Annualized rate during the two years prior to consenting for the study

First patient treated in CLIMB SCD-121 had 46.6% HbF at 4 months after CTX001 infusion

Hemoglobin fractionation over time pre and post CTX001 infusion,
% of total g/dL hemoglobin




Patient has had no reported VOCs since CTX001 infusion

¹ Hb Undefined: Hb adducts and other variants.

HbF is highly pancellular in peripheral RBCs

Peripheral RBC F-cells

% F-cells (circulating RBCs expressing fetal hemoglobin)



CRISPR Enables the Next Generation of I/O Cell Therapy



POTENTIAL TO ENABLE ALLOGENEIC CAR-T

- Off-the-shelf
- More potent starting material
- More consistent product
- Broader access
- Flexible dosing (e.g., re-dosing)

POTENTIAL TO INCREASE SOLID TUMOR EFFICACY

- Avoid exhaustion
- Modulate suppressive TMEs
- Target tumors with greater selectivity
- Sense and respond via genetic circuits
- Recruit endogenous immunity

Allogeneic CAR-T Therapy Has Transformative Potential

Before Patient Diagnosis


After Patient Diagnosis

Autologous: patient derived




PATIENT

WEEK 1



Apheresis

WEEK 2



Manufacture

WEEK 3



Single
Treatment

Allogeneic: healthy-donor derived



HEALTHY DONOR



T Cells



Manufacture



100+ Doses

DAY 1: DIAGNOSIS




Treatment

Allogeneic CAR-T allows for immediate treatment without risk of manufacturing failure, saving patients valuable time in which their disease could progress

CRISPR-Edited Allogeneic T Cell Design

Initial Allogeneic CAR-T Candidate – CTX110

- **Improve persistence in the allo setting** with $\beta 2M$ knock-out to eliminate MHC I expression



- **Prevent GvHD** via TCR disruption
- **Improve safety and potency by precise insertion** of CAR construct into TRAC locus

Multiplex editing in one step


Trial of CTX110 in B-Cell Malignancies

CRSP-ONC-001: Single-arm Phase 1/2 dose escalation and expansion study to assess the safety and efficacy of CTX110 in subjects with relapsed or refractory B-cell malignancies



Patients and Sites

Starting with adult patients with relapsed or refractory non-Hodgkin lymphoma; conducted at sites with CAR-T or cell therapy experience



Lymphodepletion and Dosing


Lymphodepleting chemotherapy regimen administered before CTX110 infusion; dose escalation followed by dose expansion cohort

Potential to expand into registrational trials, additional CD19-positive malignancies and multiple dosing if supported by safety and efficacy

CTX110/CTX120 – Novel Approach Against Validated Targets


CTX110 – Anti-CD19 Allogeneic CAR-T

Prolonged survival in disseminated Nalm6 B-ALL xenograft tumor model



CTX120 – Anti-BCMA Allogeneic CAR-T


Subcutaneous RPMI-8226 multiple myeloma model completely eliminated



Strong anti-tumor activity observed with healthy donor-derived CAR-T cells – potential for better outcomes than autologous CAR-T given poor health of patient T cells

CTX130 – Anti-CD70 Program as a Bridge to Solid Tumors

Subcutaneous A498 Renal Cell Carcinoma Model Completely Eliminated



CTX130

- Anti-CD70 allogeneic CAR-T
- Additional editing beyond TCR and β 2M knock-outs
- For both heme and solid tumors

Strong rationale for targeting CD70 for solid tumors


- Initial focus on clear cell renal cell carcinoma – immune-infiltrated disease and >80% CD70-positive
- Minimal CD70 expression on healthy tissues¹

1. Adam, *et al.* Br J Cancer 2006

Rapid Generation of Novel Candidates Using CRISPR

Multiplex Editing


Single-shot sextuple knock-out plus CAR insertion performed at high efficiency



Septuple-edited CAR-T cells show **no viability decrease**, **no cytokine-independent growth** and **robust target-specific cytotoxicity**

CRISPR Enables Regenerative Medicine 2.0

CRISPR/Cas9 Technology Opens Broader Applications for Regenerative Medicine



Unlocking *In Vivo* Applications of CRISPR/Cas9

AAV Vectors for Neuromuscular Indications

- **Adeno-associated virus (AAV)** to deliver Cas9 and gRNA to muscle, the nervous system and other tissues
- Collaboration with StrideBio to improve tissue specificity and reduce immunogenicity
- Programs include DMD and DM1 in collaboration with Vertex, as well as other early research programs



LNPs for Liver Indications

- **Lipid nanoparticles (LNPs)** containing mRNA encoding Cas9 and gRNA for delivery to the liver
- Lipid technology from MIT and mRNA technology from CureVac
- Programs include GSD Ia and other early research programs

Enabling collaborations



Strong U.S. and Global Foundational IP Position



United States

Charpentier / UC Berkeley / U. Vienna granted patents of broad scope; multiple applications progressing

- 17** Patents of broad scope granted, including the patent involved in the first interference
- 4** Patent applications of broad scope allowed
- >45** Additional patent applications moving forward in parallel with both broad and narrow claims
- 2nd** Interference declared June 2019 to determine who was first to invent CRISPR/Cas9 gene editing in eukaryotic cells



Europe and Global

Charpentier / UC Berkeley / U. Vienna granted foundational patents, including use in eukaryotes

- 3** Patents of broad scope granted in the EU
- 23** Patents of broad scope granted in the UK, Germany, Japan, China, Singapore, Hong Kong, Ukraine, Israel, Australia, New Zealand, Mexico, South Africa and elsewhere
- ~80** Jurisdictions worldwide in which applications with both broad and narrow claims are advancing

Building a Great Company



EXPERIENCED
Management Team

**END-TO-END
CAPABILITIES**
With >250 Employees

**COLLABORATIVE &
ENTREPRENEURIAL**
Culture